

## ABB Componenten Aan-Uit schakelaar, rood 2 polig, 63A € 57,00

|                                      |                      |
|--------------------------------------|----------------------|
| Beschermingsgraad (IP)               | IP10                 |
| Spanningstype                        | Overig               |
| Aantal polen                         | 2                    |
| Inbouwdiepte                         | 70 mm                |
| Nom. (meet)stroom                    | 63 A                 |
| Nom. (meet)spanning                  | 400 V                |
| Aantal contacten als verbreekcontact | 0                    |
| Aantal contacten als maakcontact     | 2                    |
| Aantal contacten als wisselcontact   | 0                    |
| Met signaallamp                      | Nee                  |
| Breedte in module-eenheden           | 2                    |
| Schakelfunctie                       | Uitschakelaar        |
| Kleur kapje (kalotje)                | Grijs                |
| Kortsluitvastheid (Icw)              | 25 kA                |
| Model                                | System pro M compact |







ABB

This is a front view of an ABB E202 63A circuit breaker. It is a vertical, light gray device with a red operating handle in the center. The handle has two red windows showing 'ON' and 'OFF' positions. Above the handle, there is a red band with the ABB logo. To the left of the handle, technical specifications are printed. To the right, a schematic diagram shows two poles with terminals 1, 2, 3, and 4. The device has four circular screw terminals at the top and bottom. A black mounting rail is visible at the bottom of the handle assembly.

E 202  
63A  
415V AC  
AC-22A  
IEC60947-3

