

ABB Componenten Meszekering Fuseline gG = 690V, DIN2
In = 125A Ph = 11,9 W **€ 32,90**

Spanningstype	AC/DC
Nom. (meet)stroom	125 A
Nom. (meet)spanning	690 V
DIN-grootte	NH2
Bedrijfsklasse	gG (kabel- en apparaatbeveiliging)
Nom. afschakelvermogen	0 kA
Uitvoering kenmelder	Geen
Nom. (meet)spanning AC	690
Nom. (meet)spanning DC	690
Vermogensverlies bij nom. stroom	12,2
Geïsoleerde metalen trekoren (IMGL)	Nee
Zekeringmaat volgens IEC 60269	01XL
Model	FuseLine



ABB

The image shows a vertical ABB OFAA2GG100 circuit breaker. It has a light beige rectangular body with a silver-colored metal top and bottom flange. Four screws are visible on the top flange. Two thick, silver-colored metal rods extend vertically from the top and bottom flanges. The front face of the beige body has several labels: the ABB logo, the model number OFAA2GG100, the voltage rating ~690V, the current rating 100A, a red indicator window, the type 2 / gG, the CE mark and 80kA rating, and the text MADE IN HUNGARY.

OFAA2GG100

~690V

100A



2 / gG

CE

80kA

MADE IN HUNGARY