

ABB Componenten Meszekering Fuseline gG = 690V, DIN2
In = 200A Ph = 15,4 W **€ 32,90**

Spanningstype	AC/DC
Nom. (meet)stroom	200 A
Nom. (meet)spanning	690 V
DIN-grootte	NH2
Bedrijfsklasse	gG (kabel- en apparaatbeveiliging)
Nom. afschakelvermogen	0 kA
Uitvoering kenmelder	Geen
Nom. (meet)spanning AC	690
Nom. (meet)spanning DC	690
Vermogensverlies bij nom. stroom	18,5
Geïsoleerde metalen trekoren (IMGL)	Nee
Zekeringmaat volgens IEC 60269	01XL
Model	FuseLine



ABB

The image shows a vertical ABB OFAA2GG100 circuit breaker. It has a light beige rectangular body with a silver-colored metal top and bottom flange. A vertical metal rod passes through the center of the body. The top flange has four screws. The bottom flange also has four screws. The text on the front of the body includes the ABB logo, the model number OFAA2GG100, the voltage rating ~690V, the current rating 100A, a red indicator window, the rating 2 / gG, the CE mark, the breaking capacity 80kA, and the text MADE IN HUNGARY.

OFAA2GG100

~690V

100A



2 / gG

CE

80kA

MADE IN HUNGARY